



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 14, 2001

CERTIFIED MAIL

Stroh Water Company  
3408 Hunt St  
Gig Harbor WA 98335-2038

Dear Sir or Madame:

Re: Water Permit No. G2-28125

On **February 23, 2001**, you were sent a letter reminding you of the need to file a Completion of Construction or request an extension of time to complete construction on your project. We have not received a response to that letter.

Please complete the enclosed Completion of Construction form if you have completed construction on the water system. If you have not completed construction, you may request an extension of time. **The request must be in writing and contain the following if you can show good cause why your permit should not be cancelled.**

1. A description of efforts you have made since the permit was issued or the last extension was granted to complete construction.
2. An anticipated time schedule for completing construction and completing development of the water system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$10.00** extension fee made payable to the Department of Ecology, at \$5.00 a year this would bring you current until **June 1, 2002**. Payments of extension fees are non-refundable regardless whether the extension is granted.

If we do not receive either the completed form or the request for extension with the extension fee **within sixty (60) days from receipt of this letter**, your permit will be canceled with no further contact.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller  
Water Resources Program

DH:th (ccreminder2.doc)



U.S. Postal Service  
**CERTIFIED MAIL RECEIPT**  
(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Postmark  
Here

Sent To

Stroh Water Company

Street, Apt. No., or PO Box No.



G2-28125

City, State, ZIP+4

PS Form 3800, May 2000

See Reverse for Instructions

UNITED STATES POSTAL SERVICE




First-Class Mail  
Postage & Fees Paid  
USPS  
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4 in this box •

Department of Ecology  
Southwest Regional Office  
Post Office Box 47775  
Olympia, WA 98504-7775

**RECEIVED**  
JUN 18 2001  
Washington State  
Department of Ecology







STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 23, 2001

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:

Re: Water Permit No. G2-28125

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **June 1, 2000**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, your extension request must be made in writing and contain the following:

1. A description of efforts you have made to complete construction on the project since the permit issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$10.00** extension fee made payable to the Department of Ecology, (this would bring you current until **June 1, 2002**). Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30)** days from the date of this letter. This office should be notified if you no longer intend to develop the project. If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller  
Water Resources Program

DH:th (ccreminder1.doc)  
Enclosure





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

May 18, 1999

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:

Re: Ground Water Permit No. G2-28125


Enclosed is Permit No. G2-28125. Our information indicates that you have begun construction of your project. We are enclosing a Notice of Completion, which must be filed when you have finished the work.

If you cannot complete your project by June 1, 2000, you must contact this office.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this decision was mailed. At the same time your appeal must be sent to the Department of Ecology c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of the Order. These procedures are consistent with Chapter 43.21B RCW.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,



J. Mike Harris  
Water Resources Supervisor  
Southwest Regional Office

JMH:th(permit2)  
Enclosures





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 7, 1999

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:


Re: Ground Water Permit No. G2-28125

The Department of Ecology has reviewed your application for water rights, and your application has been approved. A copy of our Report of Examination is enclosed. This report constitutes our determination and order regarding the above referenced application. Please read this report carefully.

A permit will be issued in accordance with the enclosed Report of Examination and upon payment of the statutory fee of \$20.00. Please remit your payment by check to the Department of Ecology within thirty (30) days from receipt of this letter.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this decision was mailed. At the same time your appeal must be sent to the Department of Ecology c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of the Order. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,



J. Mike Harris  
Water Resources Supervisor  
Southwest Regional Office

JMH:th(exam2)  
Enclosure

